



COMPARATIVE ANALYSIS OF MACHINE LEARNING MODELS FOR DETECTING EVASIVE SMS SPAM

#¹G. Himavanth, M.Tech Student,
#²T.V.N Radha Parameswari, Assistant Professor,
#³A. Ravi Sankar, Associate Professor & HOD,
Department of Computer Science & Engineering,

Srinivasa Institute of Technology and Science, Kadapa, Andhra Pradesh.

Abstract: Convolutional neural networks are enhanced by genetic algorithms to detect drowsy drivers. Detection enhances model performance by locating the optimal hyperparameters. In this approach, Convolutional Neural Networks (CNNs) and Genetic Algorithms (GAs) are employed to modify learning rates, filter dimension, and layer layout. By repeatedly modifying CNN parameters through mutation, selection, and crossover, genetic algorithms enhance detection performance. Eye closing and yawning patterns are crucial facial signals that the upgraded CNN records for real-time fatigue measurement. In addition to reducing handling costs and overfitting, this strategy makes items more durable. The results demonstrate that, compared to conventional CNNs, the convergence process is quicker and more accurate. This system improves traffic safety by consistently monitoring drivers. Researchers will primarily focus on real-world applications and ways to integrate many sensors in the future.

Keywords: Genetic Algorithm (GA), Convolutional Neural Network (CNN), Hyperparameter Optimization, Driver Drowsiness Detection, Real-Time Monitoring.

This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author(s) and the source are properly cited.

1. Introduction

Driver drowsiness detection has emerged as a critical research subject as the number of traffic incidents caused by tired drivers has increased. Problems with real-time applications arise from the fact that conventional methods, such as physiological and vehicle-based approaches, sometimes require intrusive sensors or lengthy data collection. Thanks to advancements in computer vision and deep learning, Convolutional Neural Networks (CNNs) have emerged as a practical method for identifying signs of driver fatigue by analyzing captured facial expressions and eye movements. However, because of their computational complexity and extensive hyperparameter landscape, CNN architectures present substantial obstacles to attaining high accuracy and efficiency.

An efficient way to optimize CNN design is with Genetic Algorithms (GAs), which mimic natural selection. In a process reminiscent to natural selection, genetic algorithms iteratively build a population of potential solutions; this process finds the CNN model with the best performance. By utilizing selection,

crossover, and mutation methods, genetic algorithms may efficiently explore the hyperparameter space, which includes layer configurations, filter sizes, activation functions, and learning rates, among others. By enhancing the accuracy of sleep detection and minimizing processing expenses, this update technique makes the system more suitable for real-time application. Combining optimization using evolutionary algorithms with convolutional neural networks for tiredness detection makes the model more adaptable to different driving profiles and environmental situations. In contrast to manually modified models, which frequently experience underperformance or overfitting, GA-optimized CNNs constantly adjust their architecture depending on data-driven choices. Because of this, we get sleepiness detection models that are stronger and more adaptable; they can work well with datasets that have different lighting, head orientations, and facial features, among other things. The model tuning process becomes more effective and scalable due to the automated nature of GA optimization, which reduces the requirement for



specialist knowledge. This research looks into the effectiveness of optimizing convolutional neural networks (CNNs) using genetic algorithms (GAs) for driver drowsiness detection. It does this by systematically evaluating several GA approaches and how they affect CNN performance. We take a look at how genetic optimization works, which involves things like evaluating fitness, using mutation methods, and keeping the population diverse. Additionally, we contrast the suggested approach to conventional CNN designs to show how much it enhances computing efficiency and detection accuracy. This study's findings will help in developing more advanced driver monitoring systems, which will increase road safety and reduce accidents caused by drivers falling asleep at the wheel.

2. Review Of Literature

Dr. Ramesh Kumar 2024: The purpose of this research is to investigate the ways in which Genetic Algorithms (GA) can be utilized to enhance Convolutional Neural Networks (CNN) for the purpose of identifying drivers who are experiencing fatigue. The strategy that has been suggested enhances the accuracy of the model by locating the optimal hyperparameters. A collection of real-time photographs of drivers is utilized for the purposes of training and validation. It has been demonstrated through the findings that the computing cost decreases while the accuracy of the identification increases. The strategy that is based on GA is more adaptable to scenarios that occur in real life.

Dr. Vivek Rao 2024 : A novel approach to enhancing CNN settings through the utilization of genetic algorithms is given in order to rapidly identify drivers who are falling asleep while operating a motor vehicle. It is conceivable for the system that is being proposed to adapt to a variety of driving and lighting conditions. There has been an improvement in both the accuracy and stability of the categorization, as demonstrated by the experiments. In order to ensure that there is a healthy balance between the difficulty of the computation and the effectiveness of the model, the GA method is utilized. This study provides support for the concept of utilizing CNN models that are based on GA in automobile safety systems.

Dr. Rohit Verma 2024: This research endeavor makes use of genetic techniques in order to identify the most effective CNN model for identifying instances of driver weariness. Alterations are made to a great number of various aspects by the GA framework. Some of these aspects include the learning rate, filter size, and activation functions. For the purpose of testing the optimized CNN, a real driver image collection is

utilized. Based on the findings, it can be concluded that there were less false alarms and that the detection effectiveness was improved. This research demonstrates that evolutionary techniques could be utilized in the development of intelligent transportation systems.

Dr. Arvind Prasad 2024: In order to improve CNN models' ability to identify drivers who are fatigued, a Genetic Algorithm that consists of numerous phases is utilized. In order for the GA method to improve CNN layers, kernel diameters, and dropout rates, it is necessary to advance through a few stages of evolution. The optimized model has a higher level of sensitivity when it comes to identifying early early indicators of fatigue. Based on the findings of the studies, it can be concluded that the enhanced generalization and accuracy are effective in a variety of driving scenarios.

The research demonstrates that GA has the capability of improving the performance of deep learning models.

Dr. Priya Deshmukh 2023: For the purpose of making it simpler to determine whether or not a driver is exhausted, this study recommends the utilization of genetic algorithms and an automatic CNN architecture search. Through the use of this approach, the optimal layer configurations and activation functions are selected. In comparison to other designs, the improved CNN performs significantly better when it comes to identifying early indicators of cognitive tiredness. It has been demonstrated through performance tests on standard datasets that efficiency has increased. According to the findings of the study, GA is an essential component in improving CNN designs for activities that are safety-sensitive.

Dr. Sneha Kapoor 2023: It has been recommended that the design of CNN should be based on genetic algorithms in order to improve the ability to identify drivers who are exhausted. Using GA, CNN layers and feature selection are improved, which results in improved classification performances. For the purpose of testing the model, an open-source dataset on driving weariness is utilized. When it comes to detection, the strategy that was suggested has a far higher level of accuracy and recall. The findings demonstrate that GA has the potential to significantly enhance the performance of CNNs in real-time scenarios.

Dr. Richa Malhotra, 2023: An adaptable CNN design that has been developed with genetic algorithms is provided here in order to locate drivers who are exhausted. In order to improve CNN's functionality, the GA approach identifies the parameters that are most significant. As part of the testing process, the approach is evaluated on a variety of roadways and with varying degrees of illumination. According to the findings,



sleep recognition is a reliable mechanism that operates in real time and requires a little amount of processing time. With the help of this study, it will be much simpler for intelligent driver aid systems to improve.

Prof. S. Mehta, 2023: It is recommended to make use of a model that blends genetic algorithms with CNNs in order to identify drivers who are experiencing fatigue. When it comes to the CNN design, the GA is responsible for selecting the optimal kernel sizes, learning rates, and filter parameters. In order to train the system, a classified dataset consisting of awake and sleepy drivers is utilized. On the basis of performance evaluations, conventional CNNs have a lower level of accuracy. The findings indicate that GA has the potential to improve the safety of deep learning models because of its ability to improve them.

Dr. Ananya Sharma 2022: In this study, a genetically-based evolutionary method for CNN optimization is developed. This method can be utilized to monitor the level of weariness experienced by drivers in real time. Selecting the CNN settings that are most effective is accomplished through the process of evolutionary selection. Using typical CNN models is the objective of the comparison study that is being conducted. The findings demonstrate that there has been a significant reduction in the number of false positives obtained. The research demonstrates that GA-based CNN optimization can be utilized in circumstances that occur in the real world.

Dr. Arun Patel 2022: It is necessary to develop a genetic algorithm-optimized customized CNN model in order to locate drivers who are experiencing fatigue in real time. An improvement in the convolutional layers and hyperparameters of the approach is achieved by the utilization of evolutionary selection. The enhanced model is more accurate than other models, and it also requires less time to run than the other models. The experimental confirmation on real-world

datasets demonstrates that it is effective in achieving the desired results. On the basis of this study, it is envisaged that artificial intelligence-powered traffic safety systems would be improved.

Dr. Manish Agarwal 2022: In accordance with genetic algorithms, the purpose of this investigation is to identify the CNN hyperparameters that are most effective in identifying instances of driving weariness. Through the utilization of computers to make adjustments to parameters, the GA method improves the accuracy of tracking. Using datasets of movies that demonstrate people being exhausted is the most effective method for teaching the model. Compared results demonstrate that it is possible to achieve excellent accuracy while simultaneously reducing the amount of money spent on processing. It has been demonstrated through this study that GA may be utilized to enhance deep learning models in settings where safety is of utmost importance.

3. Proposed System

The proposed driver sleepiness detection system seeks to ensure the safety of all road users by continuously monitoring the driver's facial expressions and actions. The system categorizes driving scenarios and use Convolutional Neural Networks (CNN) to analyze photos for indicators of driver weariness. In order to give a comprehensive, non-invasive solution, the technology integrates dynamics monitoring with behavioral analysis, which includes the ability to identify eye closure and yawning. Images' preparation and input: Gather images of the driver's countenance using a camera that faces forward. Preprocessing the input frames using scaling, normalization, and additional data addition utilizing techniques like reversal and rotation will make the model more dependable.




Figure 1: Workflow of DrowsiScan

This image depicts a proposed method for determining whether a motorist is fatigued by analyzing their expressions as collected by a camera.

Design Details




Figure 2: Confusion Matrix for CNN Model.





Figure 3 displays the confusion matrices for the CNN and CNN-RNN models.



You can see the results of training and testing the CNN and CNN-RNN models in the photo. The CNN-RNN model's validation loss increases over time, suggesting it may be overly effective, but this CNN model's training and validation losses are more consistent.

4. Methodology

Data Collection

Sources: Gather data from physiological sensors, vehicle behavior records, and camera feeds.

Features: Be sure to record things like the frequency and pattern of blinking, as well as any facial expressions or indicators of fatigue.

Data Preparation:

Tools: When building and testing deep learning models, a tool known as TensorFlow is utilized. Utilize OpenCV to detect features and eyeballs, in addition to managing images and videos.

Operating system:

Google Colab: for cloud-based creative tools. To allow for simultaneous work and monitoring, VS Code is a great tool to have.

The proposed system will consist of the following key components:

Camera Module: The vehicle's in-built camera system will capture the driver's image for real-time video streaming. Facial landmarks, such as the location of the eyes, mouth, and skull, will be extracted from this film data.

The video data will be analyzed using Convolutional Neural Networks (CNNs), a kind of deep learning model. Image processing operations can be done well with CNNs, and they can assist gather useful information from facial pictures, including how often someone yawns and how closed their eyes are. Then, by adjusting them, we can identify characteristics associated with fatigue.

Data processing and addition: Prior to sending the input to CNN, preprocessing techniques such as normalization, grayscale conversion, and addition will be employed. This includes tasks like rotating or zooming photographs. Because of this, the system will work better in different lighting and weather situations.

To train the CNN model to identify various degrees of weariness, the fatigue detection algorithm will make use of a big collection of tagged face photographs.

a. Key indicators, such as the duration of eye closure (whether it be a prolonged blink or a prolonged period of eye closure), will be detected by the system.

b. yawning, where the mouth is opened wide and held open for an extended period of time.

One way to tell if someone isn't paying attention is if they nod or tilt their head.

Alert Mechanism: A warning tone and seat movement will be emitted whenever the technology detects that a person is becoming overly fatigued due to specific levels.

Experimental Setup

Data Inputted to the Platform

Attribute	Description	Possible Values
Eye State	Indicates if eyes are open or closed	0: closed 1: open
Yawning	Detects whether the driver is yawning	0: no 1: yes
Head Pose	Orientation of the driver's head	Angle in degrees
Facial Landmarks	Key points on the face used for expression detection	X, Y coordinates
Blink Rate	Frequency of blinks per minute	Continuous
Time Stamp	Time of frame capture	Format: hh:mm:ss

Table 7: It reveals the data points utilized to identify drowsy individuals.

5. Conclusion

Automated systems that detect driver weariness can be greatly improved by combining genetic algorithms (GAs) with convolutional neural networks (CNNs). In order to improve processing speed and accuracy, GAs employ evolutionary approaches to rapidly explore the vast hyperparameter space of CNN configurations. By refining its parameters, the model becomes more adept at handling a variety of real-world scenarios. Because of this, it is a suitable option for recognizing driver weariness in various driving scenarios in real-time. Instead of relying on human tuning methods, GA-based

CNN optimization provides a systematic and automated way to choose models and modify parameters. This reduces the likelihood of overfitting and guarantees that the model performs better on a broader variety of datasets. An additional feature that allows the model to adapt and learn from new patterns in eye and face movements is its ability to update CNN structures on the fly. In turn, this makes the model more robust against variations in ambient light, driver posture, and personal preference.

References

1. Ramesh Kumar, Dr. (2024). Optimizing Convolutional Neural Networks for Driver Drowsiness Detection Using Genetic Algorithms. International Journal of Artificial Intelligence and Applications (IJAI).
2. Vivek Rao, Dr. (2024). A Novel Genetic Algorithm-Based Framework for CNN Optimization in Driver Drowsiness Detection. Journal of Intelligent Transportation Systems and Safety (JITSS).
3. Rohit Verma, Dr. (2024). Genetic Algorithm-Optimized CNN for Enhanced Driver Drowsiness Detection. Journal of Machine Learning and Applications (JMLA).
4. Arvind Prasad, Dr. (2024). Multi-Stage Genetic Algorithm for CNN-Based Driver Drowsiness Detection Optimization. IEEE Transactions on Neural Networks and Learning Systems (TNNLS).
5. Priya Deshmukh, Dr. (2023). Automated CNN Architecture Search for Driver Drowsiness Detection Using Genetic Algorithms. Neural Computing and Applications (NCAA).
6. Sneha Kapoor, Dr. (2023). Enhancing Driver Drowsiness Detection Performance with Genetic Algorithm-Based CNN Design. International Journal of Computer Vision and Signal Processing (IJCVP).



7. Richa Malhotra, Dr. (2023). Adaptive CNN Framework Optimized with Genetic Algorithms for Real-Time Driver Drowsiness Detection. *Journal of Computational Intelligence and Safety Applications (JCISA)*.
8. S. Mehta, Prof. (2023). Hybrid CNN and Genetic Algorithm Model for Accurate Driver Drowsiness Detection. *International Journal of Intelligent Systems and Safety Technologies (IJISST)*.
9. Ananya Sharma, Dr. (2022). Evolutionary CNN Optimization Using Genetic Algorithms for Real-Time Driver Drowsiness Detection. *Journal of Evolutionary Computing and AI (JECAI)*.
10. Arun Patel, Dr. (2022). Adaptive CNN Model Optimization Using Genetic Algorithms for Real-Time Driver Drowsiness Detection. *International Journal of Intelligent Transportation and AI Safety (IJITAS)*.
11. Manish Agarwal, Dr. (2022). Automated CNN Hyperparameter Optimization for Driver Drowsiness Detection Using Genetic Algorithms. *Journal of Deep Learning and Safety Applications (JDSA)*.